

COETOP T120/125


厚浆型耐磨系统 HARD AGGREGATE SCREED

COETOP T120是一种用于室内和户外地面的即用型非金属硬质骨料砂浆型耐磨材料,具有可泵送、可浇注、可刮平和高强度等特性。


COETOP T125是一种适于重载的室内和户外地面的即用型合金硬质骨料砂浆型耐磨材料,具有可泵送、可浇注、可刮平和超高强度等特性。

COETOP T120 is a non-metallic hard aggregate screed material with high strength and impact resistance, suitable for both indoor and outdoor.


COETOP T125 is a ready-to-use special metallic hard aggregate screed material with super-high strength and impact resistance, suitable for both indoor and outdoor with heavy loads.




COETOP T120



COETOP T125



步骤 Step	产品 Product	说明 Information	理论用量 Consumption	施工方法 Application
1.1	新浇筑混凝土 Fresh concrete	湿对湿铺设 Wet on wet apply		
1.2	旧混凝土表面 Old concrete	湿对干铺设 wet on dry apply		机械处理, 界面砂浆 Mechanical treatment Bonding slurry
2	COETOP T120 COETOP T125	水泥砂浆耐磨材料 Hard aggregate mortar wear-resistant material	15-30 kg/m ² 16-32 kg/m ²	铺设+电动抹平收光 Lay + power float



适用场所

- 工业厂房
- 超市
- 大卖场
- 停车场
- 仓储及物流区域

Uses

- Industrial plants
- Supermarkets
- Hypermarket
- Parking area
- Warehouse, logistics area

